

SAFETY DATA SHEET

1. Identification

Other means of Identification

None known.

Product identifier

SULFURIC ACID 66 BE

Recommended use

ALL PROPER AND LEGAL PURPOSES

Recommended restrictions

Manufacturer/Importer/Supplier/Distributor information

None known.

Manufacturer

Company name

Brenntag Southwest, Inc.

Address

610 Fisher Road Longview, TX 75604

Telephone

903-759-7151

E-mail

Not available.

Emergency phone number

800-424-9300

CHEMTREC

2. Hazard(s) Identification

Physical hazards

Not classified.

Health hazards

Skin corresion/irritation

Category 1

Serious eye damage/eye irritation

Category 1

Environmental hazards

Not classified.

OSHA defined hazards

Not classified.

Label elements



Signal word

Hazard statement

Causes serious eye damage. Causes severe skin burns and eye damage.

Precautionary statement

Prevention

Do not breathe mist/vapors. Wash thoroughly after handling, Wear protective gloves/protective

clothing/eye protection/face protection. Wear eye protection/face protection.

Response

If swallowed: Rinse mouth. Do NOT induce vomiting. IF SWALLOWED: Rinse mouth. Do NOT Induce vomiting, if on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison

center/doctor. Wash contaminated clothing before reuse. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician. IF ON SKIN (or hair): Remove/Take off Immediately all contaminated clothing.

Rinse skin with water/shower.

Storage

Store locked up.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

93% of the mixture consists of component(s) of unknown acute dermal toxicity. 100% of the mixture consists of component(s) of unknown acute inhalation toxicity, 93% of the mixture consists of component(s) of unknown acute oral toxicity.

3. Composition/information on ingredients

Mixtures

Material name: SULFURIC ACID 66 BE 203584 Version #: 55 Revision date: 01-18-2022 Issue date: 05-05-2015
 Chemical name
 Common name and synonyms
 CAS number
 %

 SULFURIC ACID
 7664-93-9
 93

 Other components below reportable levels
 7

4. First-aid measures

Inhalation

Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact

Take off immediately all contaminated clothing. Wash off with soap and water. Rinse skin with water/shower. Call a physician or poison control center immediately. Chemical burns must be treated by a physician. Get medical attention if irritation develops and persists. Wash contaminated clothing before reuse.

Eye contact

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately. Call a physician or poison control center immediately.

Ingestion

Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting, if vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Severe eye irritation.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.

General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Foam. Powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

and precautions for firefighter Fire fighting

Move containers from fire area if you can do so without risk.

equipment/Instructions
Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards

No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.

Environmental precautions

7. Handling and storage Precautions for safe handling

Respiratory protection is "only required" when sprays are present in the air. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Provide adequate ventilation. Do not breathe mist/vapors. Do not get this material in contact with eyes. Do not get in eyes, on skin, or on clothing.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in tightly closed container. Keep container tightly closed. Store away from incompatible materials (see Section 10 of the SDS).

Material name: SULFURIC ACID 66 BE

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Value Type Components 1 mg/m3 PEL SULFURIC ACID (CAS 7664-93-9) US. ACGIH Threshold Limit Values Form Value Type Components Thoracic fraction. 0.2 mg/m3 TWA SULFURIC ACID (CAS 7664-93-9) US. NIOSH: Pocket Guide to Chemical Hazards Value Components Type

Biological limit values

7664-93-9)

SULFURIC ACID (CAS

No biological exposure limits noted for the ingredient(s).

TWA

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency

1 ma/m3

shower must be available when handling this product. Provide eyewash station.

individual protection measures, such as personal protective equipment

The following are recommendations for Personnel Protective Equipment (PPE). The employer/user of this product must perform a Hazard Assessment of the workplace according to OSHA regulations 29 CFR 1910.132 to determine the appropriate PPE for use while performing any task involving potential exposure to this product.

Eve/face protection

Wear safety glasses with side shields (or goggles) and a face shield.

Skin protection

Hand protection

Wear appropriate chemical resistant gloves. For prolonged or repeated skin contact use suitable

protective gloves. Suitable gloves can be recommended by the glove supplier.

Other

Wear appropriate chemical resistant clothing. Wear suitable protective clothing.

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Liquid. Form Liquid.

Color CLEAR TO LIGHT YELLOW

Odor NO ODOR
Odor threshold Not available.

oH.

Melting point/freezing point -31 °F (-35 °C)

Initial boiling point and boiling

and boiling 530.06 °F (276.7 °C) estimated

range

Flash point Not available.

Evaporation rate Not available.

Flammability (solid cas) Not applicable.

Flammability (solid, gas)

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper Not available.

(%)

Material name: SULFURIC ACID 66 BE

Not available. Explosive limit - lower (%)

Explosive limit - upper (%) Not available.

Not available. Vapor pressure

Vapor density Not available. Relative density Not available.

Solubility(ies)

Not available. Solubility (water) Not available. **Partition coefficient**

(n-octanol/water)

Not available. Auto-ignition temperature Not available. Decomposition temperature **Viscosity** Not available.

Other Information

15.30 lbs/gai Density

1.83 g/ml

Explosive properties Not explosive. Not exidizing. Oxidizing properties 7 % estimated

Specific gravity 1.83

10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

Material is stable under normal conditions. Chemical stability Hazardous polymerization does not occur.

Possibility of hazardous reactions

Percent volatile

Conditions to avoid

Contact with incompatible materials.

Strong oxidizing agents. Incompatible materials

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

information on likely routes of exposure

May cause irritation to the respiratory system. Prolonged inhalation may be harmful. Inhalation

Causes severe skin burns. Skin contact Eye contact Causes serious eye damage. Causes digestive tract burns. Ingestion

Symptoms related to the physical, chemical and toxicological characteristics Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including

blindness could result. Severe eye irritation.

Information on toxicological effects

Not known. **Acute toxicity**

Causes severe skin burns and eye damage. Skin corrosion/irritation

Serious eye damage/eye

irritation

Causes serious eye damage.

Respiratory or skin sensitization

Due to partial or complete lack of data the classification is not possible. Respiratory sensitization

Due to partial or complete lack of data the classification is not possible. Skin sensitization Due to partial or complete lack of data the classification is not possible.

Germ cell mutagenicity Due to partial or complete lack of data the classification is not possible. Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

single exposure

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

repeated exposure

Due to partial or complete lack of data the classification is not possible.

Aspiration hazard

Due to partial or complete lack of data the classification is not possible.

Chronic effects

Prolonged inhalation may be harmful.

12. Ecological Information

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Product		Species	Test Results
SULFURIC ACID 66 E	BE		
Aquatic			
Crustacea	EC50	Daphnia magna	107.5269 mg/l, 48 hours estimated
Fish	LC50	Western mosquitofish (Gambusia affinis)	45.1613 mg/l, 96 hours estimated
Components		Species	Test Results
SULFURIC ACID (CA	S 7664-93-9)		
Aquatic			
Crustacea	EC50	Daphnia magna	> 100 mg/l, 48 hours
	LC50	Aesop shrimp (Pandalus montagui)	42.5 mg/l, 48 hours
		Cockie (Cerastoderma edule)	200 - 500 mg/l, 48 hours
		Common shrimp, sand shrimp (Crangon crangon)	70 - 80 mg/l, 48 hours .
		Green or European shore crab (Carcinus maenas)	70 - 80 mg/l, 48 hours
Fish	LC 50	Starry, european flounder (Platichthys flesus)	100 - 330 mg/l, 48 hours
		Western mosquitofish (Gambusia affinis)	42 mg/l, 24 hours
			42 mg/l, 48 hours
			42 mg/l, 96 hours
			-

Persistence and degradability Bioaccumulative potential Mobility in soil

No data is available on the degradability of this product.

No data available. No data available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Incinerate the material under controlled conditions in an approved incinerator. Dispose of contents/container in

accordance with local/regional/national/international regulations.

Local disposal regulations Hazardous waste code

Dispose in accordance with all applicable regulations.

D002: Waste Corrosive material [pH <=2 or =>12.5, or corrosive to steel]

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

Material name: SULFURIC ACID 66 BE

203564 Version #: 55 Revision date: 01-18-2022 Issue date: 05-05-2015

14. Transport Information

DOT

UN1830 UN number

SULFURIC ACID UN proper shipping name

Transport hazard class(es)

8 Class Subsidiary risk П Packing group

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport information on packaging may be different from that listed. Transportation information on packaging may be different

from that listed.

IATA

UN number UN1830

SULFURIC ACID UN proper shipping name

Transport hazard class(es)

8 Class Subsidiary risk П Packing group No. Environmental hazards

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

MDG

UN number

SULPHURIC ACID with more than 51% acid solution (SULFURIC ACID) UN proper shipping name

Transport hazard class(es)

8 Class Subsidiary risk П Packing group Environmental hazards

Marine pollutant No. F-A, S-B **EmS**

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

DOT



IATA; IMDG



15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

SULFURIC ACID (CAS 7664-93-9)

Listed.

SARA 304 Emergency release notification

SULFURIC ACID (CAS 7664-93-9)

1000 LBS

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Chemical name CAS number

Reportable quantity (pounds)

1000

Threshold planning quantity (pounds)

Threshold planning quantity, lower value (pounds)

Threshold planning quantity, upper value (pounds)

SULFURIC ACID

7664-93-9

1000

SARA 311/312 Hazardous

chemical

Yes

Skin corrosion or irritation

Classified hazard categories

Serious eye damage or eye irritation

SARA 313 (TRI reporting)

Chemical name

CAS number 7664-93-9

% by wt.

SULFURIC ACID

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.04(f)(2) and Chemical Code Number

SULFURIC ACID (CAS 7664-93-9)

6552

Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12(c))

SULFURIC ACID (CAS 7664-93-9)

20 %WV

DEA Exempt Chemical Mixtures Code Number

SULFURIC ACID (CAS 7664-93-9)

6552

US state regulations

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

SULFURIC ACID (CAS 7664-93-9)

International inventories

HIDDONG HITCHOO		On inventory (yes/no)*
Country(s) or region Australia	Inventory name Australian Inventory of Chemical Substances (AICS)	Yes
	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
Canada	MON-DOMESTIC Substitutes and (1400-1)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	169
_	European List of Notified Chemical Substances (ELINCS)	No
Europe		Yes
Japan	Inventory of Existing and New Chemical Substances (ENCS)	• •
Korea	Existing Chemicals List (ECL)	Yes
		Yes
New Zealand	New Zealand Inventory	

Material name: SULFURIC ACID 66 BE

3D8 V8

203584 Version #: 55 Revision date: 01-18-2022 Issue date: 05-05-2015

Country(s) or region

inventory name

On inventory (yes/no)*

Philippines

Taiwan

Philippine Inventory of Chemicals and Chemical Substances

(PICCS)

Taiwan Chemical Substance Inventory (TCSI)

Yes

United States & Puerto Ricc

Toxic Substances Control Act (TSCA) inventory

Yes

Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date

05-05-2015

Revision date

01-18-2022

Varsion #

55

HMIS® ratings

Health: 3

Flammability: 0 Physical hazard: 0

NFPA ratings

Health: 3 Flammability: 0 Instability: 1

Special hazards:-W-

Disclaimen

While Brenntag believes the information contained herein to be accurate, Brenntag makes no representation or warranty, express or implied, regarding, and assumes no liability for, the accuracy or completeness of the information. The Buyer assumes all responsibility for handling, using and/or reselling the Product in accordance with applicable federal, state, and local law. This SDS shall not in any way limit or preclude the operation and effect of any of the provisions of Brenntag's terms and conditions of sale. Brenntag Southwest, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and

experience currently available.

Revision information

Hazard(s) identification: Prevention Hazard(s) identification: Response

First-aid measures: Most important symptoms/effects, acute and delayed

Handling and storage: Precautions for safe handling

Exposure controls/personal protection: Appropriate engineering controls

Exposure controls/personal protection: Hand protection

Toxicological information: Symptoms related to the physical, chemical and toxicological

characteristics

Other information, including date of preparation or last revision: Disclaimer

Material name: SULFURIC ACID 68 BE

203564 Version #: 55 Revision date: 01-18-2022 Issue date: 05-05-2015